
1. Incident Name Bremerton MGP Waste Release		2. Operational Period to be cov		CG IAP COVER SHEET
3. Approved by Incident Commander	(s):	From: 140CT10	To: 18OCT10	
ORG NAME				
USCG FOSC Captain Scott I	Ferguson (206)21	7-6001 V 100 W	CAN FOR	
EPA FOSC Kathy Parker (206)321-3796	·		
DOE SOSC Brad Martin (4	25)941-7698	·		
DNR Shayne Cothern (360)790-7691			
KITSAP CO Grant Holdcroft (360)	621-2129			
The		NT ACTION PLA elow are included in this Incident A		
ICS 202-CG (Response Obje	ctives)			
CS 203-CG (Organization Li	st) - OR - ICS 20	77-CG (Organization Chart)		
ICS 204-CGs (Assignment Li One Copy each of any ICS 2		ıts:		
☐ ICS 205-CG (Communication	is Plan)			
ICS 206-CG (Medical Plan)				
☐ ICS 208-CG (Site Safety Plan	n) or Note SSP Lo	ocation		
⊠ Map/Chart				
Weather forecast / Tides/Cur	rents			
Other Attachments				
ICS 201-CG Incidnet Briefing				
Ballard Diving and Salvage p	roposal			
Hydrocarbon Identification Ar	nalysis 30SEP10			
ICS 232-CG Resource Risk A	Assessment			
EPA PAH Results				

	<i></i>			
4. Prepared by:		Date/Time	and in the property of the second	
MST2 Kevin Mallick		14 OCT 2010 1430		

CG IAP COVER SHEET

(Rev 4/04)




1. Incident Name	2. Prepared by: (name) MST1 WOOD	INCIDENT BRIEFING
BREMERTON MGP WASTE RELEASE	Date: 14 OCT 2010 Time: 1435	ICS 201-CG

4. Current Situation: MGP COAL TAR CREOSOTE WASTE (CREOSOTE RQ 1 LB) IS RELEASING INTO THE ENVIRONMENT FROM AN UNDERGROUND PIPE IVO PORT WASHINGTON MARINA, BREMERTON WA. THE PROPERTY SURROUNDING THE RELEASE USED TO BE BREMERTON GASWORKS AND HAS BEEN UNDER ASSESSMENT FOR THE NATIONAL PRIORITIES LIST BY THE EPA. TO DATE THE SITE HAS NOT BEEN DESIGNATED AS A SUPERFUND SITE. IT IS ESTIMATED THAT THE RELEASE HAS BEEN ONGOING FOR TWO WEEKS. THE AFFECTED AREA IS ONLY ACCESSIBLE DURING PERIODS OF LOW TIDE. THE SOURCE IS SUBMERGED IN 6 FEET OF WATER DURING HIGH TIDE. THE TIDAL FLAT AREA IS MANAGED BY WASHINGTON DEPARTMENT OF NATURAL RESOURCES. THE SOURCE HAS BEEN SURROUNDED BY A SILT FENCE TO CONTAIN SEDIMENT CONTAMINATION DURING TIDAL SHIFT AND SORBENT BOOM HAS BEEN DEPLOYED SURROUNDING THE PIPE TO CONTAIN ANY WATERBORNE POLLUTION. A 12 FT SECTION OF THE PIPE HAS BEEN EXCAVATED AND REVEALED THE PIPE IS CONSTRUCTED OF 4 FT SECTIONS AND HAS AN EXTERIOR DIAMETER OF 12 INCHES. THE PRODUCT IS RELEASING FROM A DISJOINTED BELL JOINT, SIMILAR JOINTS CONNECT EACH 4 FT SECTION OF PIPE. A SMALL RELEASE WAS OBSERVED AT A SECOND BELL JOINT 12 FT INLAND FROM THE ORIGINAL SOURCE. THE SURROUNDING GROUND AREA IVO THE PIPE IS HEAVILY CONTAMINATED. THE PIPE SOURCE IS UNKNOWN WITH AN UNKNOWN RELEASE POTENTIAL. THE LEGACY GASWORKS PROPERTY IS SPLIT BY TWO OWNERS, ONE IS RESPONSE AND THE OTHER REMAINS ELUSIVE.

05 1430	RECEIVED A REPORT OF RELEASE OF MGP COAL TAR CREOSOTE RELEASE			
1500	CONTACTED EPA AND DOE. EPA HIRED GLOBAL DIVING AND SALVAGE TO DEPLOY BOOM ON SITE OF RELEASE			
06 1000	ON SCENE AT SITE OF RELEASE AND CONDUCTED SAFETY BRIEF			
1005	CONDUCTED ON SITE ASSESSMENT OF POLLUTION THREAT			
1015	ADJACENT PROPERTY OWNER ARRIVED ON SCENE			
1044	CONTACTED DNR TO CONFIRM OWNERSHIP OF IMPACTED PROPERTY			
1130	KITSAP PUBLIC HEALTH ON SCENE			
1150	CONTACTED NPFC TO DISCUSS FUNDING OPTIONS FOR POTENTIAL CG MANAGED RESPONSE			
1230	RETURN TO BASE			
1340	CONTACTED EPA TO ARRANGE JOINT SITE VISIT TO DISCUSS AND COORDINATED RESPONSE			
07 1300	JOINT TELECOM WITH PST AND NPFC TO DISCUSS RESPONSE EFFORTS AND FUNDING CONSTRAINTS			
08 1000	JOINT ON SCENE MEETING WITH EPA, DNR, KITSAP CO			
1300	ASSUME FOSC			
1322	CERCLA OPENED. CPN C11005			
1330	GLOBAL DIVING AND SALVAGE HIRED TO SECURE RELEASE			
2200	FOSC AND PLON SCENE ON SITE WITH GLOBAL			
2245	PIPE EXCAVATION BEGINS			
2330	PIPE UNCOVERED			
09 0000	DEPLOYED SLIT FENCE TO CONTAIN CONTAMINATED SOIL DURING TIDAL SHIFT			
0100	SORBENT BOOM DEPLOYED TO CONTAIN WATERBORNE POLLUTION			
0130	4 GAS ALARMS FOR LOW AND HIGH O2			
0135	SITE EVACUATED			
0145	DEPART STAGING AREA			
1200	IMD AND PST VISIT SITE TO EVALUATE EFFECTIVENESS OF CONTAINMENT			
1600	IMD, PST, EPA VISIT SIGHT TO CONDUCT AIR MONITORING PLAN AND GRID SAMPLING PLAN TO HELP IDENTIFY SOURCE/CONTAMINATION			
2000	IMD, PST, EPA ON SCENE TO BEGIN OPERATIONS			
2215	EPA BEGAN CALIBRATION OF AIR MONITORING EQUIPMENT			
2330	MONITORING EQUIPMENT STAGED IVO RELEASE AND IDENTIFIED WORK AREAS			
2345	GRID SAMPLING OPERATIONS BEGIN			
10 0000	IMD AND PST RE-ASSESS THE BROKEN JOINT AS THE SOURCE. VISIBLE TAR BALLS WERE OBSERVED FLOWING FRO			

1. Inciden		2. Prepared by: (name) MST	1 WOOD	INCIDENT BRIEFING	
	TON MGP WASTE RELEASE	Date: 14 OCT 2010	The second secon	ICS 201-CG	
0010	SORBENT MATERIAL IS DEPLOYED TO RECO	OVER POLLUTION IVO BELL JO	TMIC	- Total way way was a second of the second o	
0020	EXCAVATION BEGAN TO UNCOVER A LARGER PORTION OF THE CEMENT PIPE TO ASSES S THE MATERIAL CONDITION.				
0045	PIPE OBSERVED TO BE FOUR FEET SECTION FEET INLAND FROM ORIGINAL LEAK POLLUT VISIBLE CONTAMINATION	NS OF CEMENT PIPE CONNECTION IS OBSERVED IVO ANOT	CTED WITH SIMILAR HER JOINT. AREA B	BELL JOINTS. TWELVE ETWEEN JOINTS HAS NO	
0130	IMD AND EPA DISCUSS POSSIBLE OPTIONS	TO PROCEED			
0200	IMD ESTIMATES TRACK LINE OF UNDERGRO	UND PIPE BASED ON EXPOS	ED SECTIONS		
0230	EXCAVATED AREA AROUND THE EXPOSED I	PIPE IS FILLED IN TO HELP CO	ONTAIN RELEASE D	URING TIDAL SHIFT	
0415	GRID SAMPLING COMPLETED				
0445	DECON OF ALL PERSONNEL AND EQUIPMEN	IT.		Management of the second of th	
0500	OPERATIONS SECURED				
1330	IMD ARRIVED AT SECTOR PUGET SOUND AN	ID PRESENTED SITUATION			
1400	MEETING SET FOR 120CT10 TO DISCUSS FU	TURE ACTIONS		da a bhide aine a an deid a a maid dhi ine a ma ba a an da an air dhi an air dhi an air dhi an air dhi an an a	
11 1200	IMD CONTACTED GDS TO DISCUSS COST DO	CUMENTATION	***************************************		
1230	IMD CONTACTED EPA AND PST TO DISCUSS	RESPONSE TACTICS AND PL	AN FOR MEETING (ON 120CT10	
12 1300	IMD, PST AND DRAT CONDUCT CONFERENC	E CALL TO DISCUSS FUTURE	ACTIONS AND RES	PONSE TACTICS	
1400	IMD CONTACTED GDS, NRC AND BDS TO HAT COMMAND MEETING ON 14OCT10	VE PROPOSED RESPONSE S	TRATEGIES DEVELO	OPED FOR UNIFIED	
13 1100	SECTOR PUGET SOUND COMMAND MEETING COMMAND MEETING ON 14OCT10	3 TO DISCUSS FUTURE ACTION	ONS. AGENDA DEVE	LOPED FOR 0845 UNIFIED	
1530	IAP COMPLETED FOR UC MEETING		an on alabane na creasure contra configurações na contra contra contra contra contra contra contra contra contr		
14 0845	UC MEETING HELD.				
1115	RESPONSE ACTION DECIDED		Videolocalitico continuo de c	ero arakis o arakismon kanananismo ikik usone kunttuusen suksi uksastian sassiati tillitti kitikutti.	
***************************************	FUTURE ACTIONS		Andread and the state of the st		
	CONTINUE TO COORDINATE WITH STAKEHO	LDERS TO DETERMINE SOUP	RCE OF RELEASE AI	ND MITIGATE MARINE	
	CONTINUE TO CONDUCT ATMOSPHERIC MO	NITORING OF THE SITE TO E	NSURE WORKER SA	VETY	
	ONCE POLLUTION IMPACT TO MARINE AREA SITE BACK TO EPA FOR LONG TERM REMED	SECURED AND VISIBLE SHO		200	
	CONTINUE EFFORTS TO DETERMINE PIPE OWNER/ RESPONSIBLE PARTY				
	ISSUE NOTICE OF FEDERAL INTEREST TO AI	DIACENT PROPERTY OWNER	······································		
	TOTAL OF THE STATE				
		of the front production of the contraction of the c			
				un con esta constante en esta	
		rekonskalada en secucio de escontracio de les comenciales consensias selectivos en del de en el del comenciale			
		SAME CONTROL OF THE PROPERTY O	OCHANICA WARETTAKA MARIANIA M	MUNICULINAMULUM	



1. Incident Name	2. Operational Period (Date/ in	1e)	INCIDENT OBJECTIVES
BREMERTON MGP WASTE RELEASE	From: 14OCT10 To: 18O	CT10	ICS 202-CG
Objective(s) PUBLIC SAFETY AND AWARENESS - SIGNS HAVE BEE AREA. PRESS RELEASE IS READY FOR RELEASE AND WITHAS TAKEN PLACE AND A SITE SAFETY PLAN HAS BEEN.	L BE DONE BEFORE REMOVAL	ACTIONS OC	CUR. AIR MONITORING
2. DETERMINE SOURCE - BALLARD DIVING AND SALVAGE HAS SUBMITTED A PROPOSAL THAT HAS BEEN ACCEPTED BY THE UNIFIED COMMAND. THIS PROPOSAL INCLUDES SENDING A CRAWLER (REMOTE OPERATED VEHICLE) INTO THE PIPE IN EACH DIRECTION TO FIND THE SOURCE OF CONTAMINATION. A PNEUMATIC PLUG WILL BE ON SITE INCASE OF AN EMERGENCY PLUG SCENERIO AND WILL ULTIMATELY BE USED IF THE DECISION IS MADE TO PERMANENTLY PLUG THE PIPE. UNIFIED COMMAND REQUESTS A RESPONSE TRAILER WITH BOOM AND RESPONSE EQUIPMENT BE ONSITE DURING PIPE CUTTING AND ENTRY. THE CRAWLER WILL BE EQUIPPED WITH LIGHTING AND A CAMERA TO DOCUMENT CONDITIONS IN THE PIPE. THE PIPE WILL BE EXPLORED IN BOTH DIRECTIONS FROM THE RELEASE TO GATHER ALL AVAILABLE INFORMATION. THIS OPERATION CAN BE CONDUCTED AT THE LOW TIDE OR AT HIGH TIDE VIA VESSEL LAUNCH.			
3. SECURE RELEASE - AFTER THE CRAWLER HAS TRAVI COMMAND HAS DECIDED THAT THE SOURCE WILL BE SEC THE BLUFF WHICH BEGINS EPA JURISDICTION.			
4. CLEANUP/ REMEDIATION - ONCE THE SOURCE HAS BE CONTAMINATION FROM TIDAL ZONE TO PREVENT FURTHIOVER BY THE US EPA.			
			·
4. Operational Period Command Emphasis (Safety Message, SAFETY SHOULD REMAIN THE TOP PRIORITY IN ALL RESP		į	
SITE SAFETY PLAN ATTACHED ALONG WITH BALLARD DIV	NG AND SALVAGE PROPOSAL.		
ALL KEY DECISIONS SHOULD BE MADE BY THE UNIFIED CO	MMAND AND FUTURE ACTIONS	WILL BE DISC	DUSSED WITH ALL
TRANSPARENCY ON THE OPERATION IS A PRIORITY. THE OFFICERS THAT WILL BE IN CONTACT TO COORDINATE PR			
Approved Site Safety Plan Located at: (ATTACHED)			
5. Prepared by: (Planning Section Chief) MST2 KEVIN MALLICK		Date/Time 14OCT10 - 1	300

INCIDENT OBJECTIVES (ICS 202-CG)

Purpose. The Incident Objectives form describes the basic incident strategy, control objectives, command emphasis/priorities, and safety considerations for use during the next operational period.

Preparation. The Incident Objectives form is completed by the Planning Section following each Command and General Staff Meeting conducted in preparing the Incident Action Plan.

Distribution. The Incident Objectives form will be reproduced with the IAP and given to all supervisory personnel at the Section, Branch, Division/Group, and Unit levels. All completed original forms MUST be given to the Documentation Unit.

Item#	Item Title	Instructions
1.	Incident Name	Enter the name assigned to the incident.
2.	Operational Period	Enter the time interval for which the form applies. Record the start and end date and time.
3.	Objective(s)	Enter clear, concise statements of the objectives for managing the response. These objectives are for the incident response for this operational period and for the duration of the incident. Include alternatives.
4.	Operational Period Command Emphasis	Enter clear, concise statements for safety message, priorities, and key command emphasis/decisions/directions. Enter information such as known safety hazards and specific precautions to be observed during this operational period. If available, a safety message should be referenced and attached. At the bottom of this box, enter the location where approved Site Safety Plan is available for review.
5.	Site Safety Plan Prepared By Date/Time	Note location of the approved Site Safety Plan. Enter the name of the Planning Section Chief completing the form. Enter date (month, day, year) and time prepared (24-hour clock).

NOTE: ICS 202-CG, Incident Objectives, serves as part of the Incident Action Plan (IAP)

Unified Command Contact List Bremerton MGP Waste Release

<u>USCG</u>	MST1 Danielle Wood	(206) 661-4402
US EPA	OSC Kathy Parker	(206) 321-3796
WA DOE	SOSC Brad Martin	(425) 941-7698
WA DNR	Shayne Cothern Kristen Swenddal*	(360) 790-7691 (360) 556-3921
Kitsap Public	Health Grant Holdcroft	(360) 621-2129

^{*}Secondary contact for when Mr. Cothern is unavailable.*

Bremerton Gas Works	GPS: 47.57829			1725 Pennsylvania Ave,
beach spill contacts	-122.64233	SSID: 10JS		Bremerton WA 98310
		cell	office	
WDOE Chemist	Bob Carrell		360 871 8800	katagamapagagan katalah da da katili ki opin pini ki ini pini pengangan ang ang ang ang ang ang ang ang
WDOE Spills Program	Brad Martin	(b) (6)	425 649 7092	bmar461@ecy.wa.gov
ERRS RM	Bryan Chernick		manufactures and manufactures of the control of the	chernick@phoinixcorp.net
EandE START R1	Bryan Vasser		Recommendation of the second s	bvasser@ene.com
EPA ORC	Cliff Villa		206 553 1185	villa.cliff@epa.gov
Cascade Natural Gas	Daniel Meredith		206 381 6720	dan.meredith@mdu.com
USCG	Danielle Wood			то при
DNR Asst Reg Man Shoreline District	t Derrick Toba		360 802 7006	derrick.toba@dnr.wa.gov
EPA PO	Gary Sink		206 553 4687	
Kitsap County Health	Grant Holdcroft		360 337 5605	holdcg@health.co.kitsap.wa.us
EPA PIO	Hanady Kader		205 553 0454	kader.hanady@epa.gov
Cascade Natural Gas Attorney	Howard Jensen		206 407 0501	jensen@tuppermackbrower.com
DNR PIO	Jane Chavey		WANTERSTEIN PROPERTY OF THE PR	
WDOT Manette bridge construction,			360 204 0302	от при
EPA Geo OSC	Jeff Rodin		206 553 6709	33 de concesso de la propio de la bresco de la propio de concesso
EPA SAM	Joanne Labaw		206 553 2594	labaw.joanne@epa.gov
Grant Solutions	Kathleen Byrne-Barrante	•	360 697 5815	grantsolutions@comcast.net
EPA Geo OSC	Kathy Parker	• -	206 553 0062	parker.kathy@epa.gov
USCG	Kevin Mallick		206 217 6212	Kevin.W.Mallick@uscg.mil
DNR Aquatics Division Manager	Kristin Swenddal			kristin.swenddal@dnr.wa.gov
Suquamish Tribe Chair	Leonard Forsman		360 394 8461	lforsman@suquamish.nsn.us
WDOH Shellfish and Water Protectio	<i>n</i> Mark Toy		360 236 3321	mark.toy@doh.wa.gov
USCG	Mike Long			michael.c.long@uscg.mil
DNR Shoreline District Manager	Neal Cox			neal.cox@dnr.wa.gov
WDOE (site contact?)	Panjini Balaraju			pbal461@ecy.wa.gov
Bremerton Waste Water	Pat Jacobsen		360 473 5327	
Bremerton City Mayor	Patty Lent	a	360 473 5266	mayor@ci.bremerton.wa.us
Kitsap County Health	Richard Bazzel	~	360 307 4237	bazzer@health.co.kitsap.wa.us
Suquamish Tribe Fisheries	Rob Purser		360 598 3311	rpurser@suquamish.nsn.us
USCG	Ryan Johnson		206 217 6066	ryan.w.johnson@uscg.mil
DNR Fisheries Spill Responder	Shayne Cothern	The second secon	360 902 1064	shane.cothern@dnr.wa.gov
EPA Chemist	Ted Haigh	anne ann ann ann an t-Eile Steid Steid air dh'i phòph à agu puin Phòthaich da bhair in ann ag Paigaigair.	360 871 8713	haigh.theodore@epa.gov
USCG Sector Puget sound	USCG Duty Officer		206 217 6002	

Sesko Property Owners	William, Natacha Sesko	3536 Arsenal Way, Bremerton
McConkey Property Owners		


Brief Incident Initial History:	Date
KHD rcd sheen report,	
KHD collected water samples	08/20/2010
Twiss labs analyzed waters	
KHD rcd sheen report,	
KHD obs heavy oil on beach, collected product sample	09/23/2010
WDOE lab analyzed product	
KHD rcd sheen report,	09/24/2010
KHD obs sheen, dug beach, coll samples	09/24/2010
KHD rcd sheen report,	
KHD ided loc of beach oil	10/01/2010
KHD dug beach pipe, contacted WDOE, EPA	10/04/2010
EPA, KHD coll product samples, boom	10/05/2010
EPA lab analyzed product	10/06/2010
USCG on site	10/07/2010
KHD, WDNR, EPA, USCG on site	10/09/2010

		2. Operational Pe		RESOURCES AT RISK SUMMARY ICS 232-CG		
3. Envi	ronmenta	lly-Sensitive Areas	and Wildlife Issue:			
Site#	Priority	Site Name and/or Physical Location		Site Issues		
	2	Clam bed/ North o		Species inhabit year round		

Narrativ	/e					
		determined by cons	ultation of ESI maps	for area		


	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT				
				· · · · · · · · · · · · · · · · · · ·		
4. Arch	aeo-cultu	ral and Socio-econ	omic Issues			
Site #	Priority	Site Name and/or		Site Issues		
	1	Port Washington N		Local marina with numerous	live-aboard tenants. Have complained of	
	3	Lions Park/ Direct	y across channel	strong odors and headaches City Rec Area	occasionary	
		110111 5110	***************************************		**************************************	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Annual Control of the				
		· · · · · · · · · · · · · · · · · · ·				
Narrativ						
Socio-E	conomic s	ensitivity determine	d by consultation of I	ESI maps as well as on-site eva	aluation by FOSCR and PI team.	
			hanna and and a state of the st	Minner of the second se		
acinominamental						
	Museum and an annual section of the	180 talahakkan akka manun massassi kapabilah kiloki kiloki kiloki kiloki kiloki kiloki kiloki kiloki kiloki ki Talah		The second of th		

5. Prep	5. Prepared by: (Environmental Unit Leader)		t Leader)	Date/Ti	me	
MST3 E	Oorian Satt	erlee		07OCT	10 1314	
RESC	URCES	AT RISK SUMM	MARY		ICS 232-CG (Rev.07/04)	



Site indicated by [1129]

Google maps



Free Marina Reservations - www.Marinas.com - Over 1,500,000 Marina Slips View Photos for expla@adman6lip >

http://maps.google.com/maps?hl=en&q=HOme%20Port&um=1&ie=UTF-8&sa=N&tab=... 10/07/2010

Webcam

94

Bremerton, Washington

Local Time: 12:05 PM PDT (GMT -07) - Set My Timezone

Lat/Lon: 47.6° N 122.6° W (Google Map)



Tropical Weather: Tropical Depression Paula (North Atlantic) Typhoon Megi (Western Pacific)

Click Radar to Enlarge

Local Radar

WunderMap

Regional Radar

Local Satellite

Snow Depth

Marine Forecast

Radar

Current Conditions

Illahee, Bremerton, Washington (PWS)

Updated: 12:05 PM PDT on October 15, 2010



52.9 °F **Mostly Cloudy**

Humidity: Dew Point: 43 °F

Calm Wind:

Wind Gust: 0.0 mph

Pressure: 30.18 in (Rising) Visibility: 10.0 miles

UV: 2 out of 16 Pollen: .20 out of 12

Pollen Forecast NEW! Clouds:

Scattered Clouds 3400 ft Mostly Cloudy 4800 ft (Above Ground Level)

Elevation: 130 ft Rapid Fire Updates:

Enable

Disable

Trip Planner Weather Stations

Source for Current Conditions:

PWS & Airport Airport Only

» Weather History for This Location Select a source for your current conditions:

Illahee

Raw METAR	Aviation	Weather Radio
Flight Rule:	VFR (KP	
Wind Speed:	0.0 kts.	er di
Wind Dir.	68° (ENE	e)
Ceiling:	4800 ft	
	Full Report — Pilot M	aps



Self Serve Advertising!

Promote your business to your local community on wunderground.com. Try us today with a free \$50 credit!

click to learn mere

Nearby Airports

City:	Temp.:	Conditions:	Updated:
Sremerton	50 °F	Mostly Cloudy	11:55 AM PDT
Seattle Boeing	55 °F	Mostly Cloudy	11:53 AM PDT
Seattle	53 °F	Mostly Cloudy	11:53 AM PDT
Renton	54 °F	Mostly Cloudy	11:53 AM PDT

Flight Ti	racker Arrivals	£.		1
Flight:	From:	To:	ETA:	Status:
SOH88	Portland OR	KBFI	12:01PM	On Time

5-Day Forecast for ZIP Code 98310 Customize Your Icons! Friday Saturday Sunday Monday Tuesday 54° F | 41° F 54° F | 43° F 58° F | 41° F 58° F | 40° F 61° F | 40° F Partly Cloudy Partly Cloudy Partly Cloudy Partly Cloudy Partly Cloudy Hourty Hourly Houriy Today is forecast to be Cooler than yesterday

Forecast for Seattle/Bremerton Area

Updated: 7:30 am PDT on October 15, 2010

No Active Advisories (US Severe Weather)

Mostly sunny...except for areas of morning low clouds and patchy fog this morning. Highs in the 50s. Light wind becoming northeast 10 mph or less this afternoon.

» ZIP Code Detail



Tonight

Partly cloudy. Patchy fog after midnight. Lows in the upper 30s to mid 40s. North wind to 10 mph.



Saturday Mostly sunny... except patchy morning fog and low clouds. Highs in the mid 50s to lower 60s. North wind to 10 mph.



Saturday Night

Partly cloudy. Patchy fog after midnight. Lows in the upper 30s to mid 40s. Northeast wind to 10 mph.

Sunday

Mostly sunny... except patchy morning fog and low clouds. Highs in the mid 50s to lower 60s. Light wind becoming north 10 mph or less in the afternoon.

» ZIP Code Detail



Sunday Night

Partly cloudy. Lows in the lower 40s.



Mostly sunny. Areas of fog. Highs in the lower 60s.



Monday Night

Partly cloudy. Lows in the upper 30s to mid 40s.



Tuesday

Mostly sunny. Areas of fog. Highs near 60.



Tuesday Night

Partly cloudy. Lows near 40



Wednesday

Mostly sunny. Areas of fog. Highs in the lower 60s.



Wednesday Night and Thursday

Partly cloudy. Lows in the lower to mid 40s. Highs in the lower 60s.

Alternate Computer Forecast: AVN MOS Weather Graph Scientific Forecaster Discussion (NWS)

Air Quality Forecast for Bremerton-Silverdale-Bainbridge Island



SWA1357 Las Vegas	NV KSE	A 11:58AM	On Time	: Aiı	Quality:	AQ Index:	Poliutai	nt:
KAL19 Incheon (no	ear Seoul) KSE	A 12:00PM	On Time	Yesterday Go	od .	0	PM2.5	Manage Market 140 market 1
CHH495 Beijing	KSE	A 12:00PM	On Time	Current Go	ood	•	PM2,5	
DAL1929 Atlanta, GA	KSE	A 12:02PM	On Time	Friday Go	od	•	PM2.5	1 12 19 19 19
United State	s Airport Delays and	i Flight Statu		Saturday Go	od	•	PM2,5	
Flight Tracker by FlightA		eringenge hat men en engel	The promote management of	Sunday Go	od	0	PM2,5	
Trigita tressier of Litario			Flight/Aware	Monday Mo	derate		PM2.5	es de gransa .
History & Almanac			6.0	Tuesday Mc	derate	0	PM2.5	
	x Temperature:	Min Temp		Want to lean	n more about air	pollution? Visi	t our health section).).
Normal (KPWT) 56	analytical conference of the contract of the c	41 °F			100 Ballata			***************************************
late from the type of the sounding	°F (1997)	30 °F (200	8)	Pollen Fore	cast Current	Air Quality	Yesterday's Peak	
	7 °F	45.7 °F						. 2750
Detailed History and C	ere asi ke a i relativa para menera meneralik			Forecast Temper				
October	15 • 201	0 · View		Place:	Today:	Tonig		
				Puyallup	58°F 10%		0% 59°F	0%
 October Calendar Vi Yesterday's Official \ 		and the second s		Tacoma	57°F 10%		0% 57°F	0%
Seasonal Weather A		ac.		Seattle	57°F 10%		0% 56°F	10%
				Bremerton	54°F 10%		0% 55°F	0%
Today's State Extre	mes			Edmonds	57°F 10%		0% 56°F	0%
State Highs:	State L	.ows:		Everett	54°F 10%	44°F	0% 54°F	10%
Walla Walla	59°F <u>Olympi</u>	a	33°F			:	= Probability of Pred	cipitatic
Hanford	58°F Quillay	ute	35°F					****
Pasco	57°F Tacom	2 .	35°F	Sports Weather	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			<u> </u>
Pullman	55°F Puyatt	IP.	37°F	NFL:	Date:		Forecast:	
Ephrata	55°F Yakima		37°F	Seahawks vs. Bears	12:00 PM CDT 17, 2010	on October	Clear, 59 °F	
Astronomy		A Free	<u> [83]</u>	Dolphins vs. Packers	12:00 PM CDT 17, 2010	on October	Partly Cloudy, 56 °	°F.
October 15, 2010	Rise:	Set:		College Football:	Date:		Forecast:	
Actual Time Civil Twilight	7:29 AM PDT 6:58 AM PDT	6:22 Pf 6:53 Pf		Bearcats vs. Cardinals	8:00 PM EDT o	n October	Clear, 58 °F	
Nautical Twilight	6:22 AM PDT	7:28 PI	V PDT	RedHawks vs.	12:00 PM EDT	on October	Clear, 50 °F	
Astronomical Twilight	5:46 AM PDT	8:04 PI	N PDT	Chippewas	16, 2010			
Moon -	3:15 PM PDT	No Mod	on Set	MLB:	Date:		Forecast:	
Length Of Visible Light	11h 54m			Yankees vs. Rangers	10, 2010		Clear, 79 °F	
Length of Day	10h 52m Tomorrow will b	e 3 m 20s s h	orter.	Yankees vs. Rangers	3:07 PM CDT o 16, 2010	on October	Clear, 85 °F	
	Extended View	l		Football (Soccer):	Date:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Forecast:	********************************
First Quarter, 59% of th	e Moon is Illumina	ited		Albinoleffe vs. Vicenza	3:30 PM CEST 15, 2010	on October	Chance of Rain, HI F/14° C	igh 57°
				Siena vs. Empoli	3:30 PM CEST 15, 2010	on October	Chance of Rain, Hi F/ 19° C	iigh 66°
Today Oct 22	Oct 30	Nov 5	Nov 13	NASCAR:	Date:		Forecast:	
Full	Last Quarter	New	First Quarter	Bank of America 500	7:46 PM EDT o 16, 2010	n October	Clear, 58 °F	
For more information abo	out the solar system	*		TUMS Fast Relief 500	1:13 PM EDT o 24, 2010	n October	Average High 69° I	F/ 20° (
				View Schedu		MLB HFB I NA	ASCAR PGA Golf	1
 View the Full Star Ch Definitions of Astrono 							I modernion and the second	1
O Deminions of Astron.	HOY ISINA			Blogs in This Are	а			
Seattle News				City: Member:	Title:		Last Ac	:tivity:
ocallic incino	Oth & Palatine		E-E-CC)	Tukwila TukwilaCat	hy TukwilaCa	thy's Wunder	Blog 9 days a	ago
		e er var en same er ve a		Blogs for people	who love weathe	er and the out	doors! <u>View All Blog</u>	38 »
Tabby cat missing from 9	warm Seattle						······································	
Tabby cat missing from 9 Zomble convention will s		un non						
Tabby cat missing from 9 Zomble convention will s South Park Bridge news	promised this aftern							
Tabby cat missing from S Zombie convention will s South Park Bridge news Woman stabs classmate	promised this aftern in anger-managem							
Tabby cat missing from 9 Zomble convention will s South Park Bridge news	promised this aftern In anger-managem ource edition	ent class						

Full-body scanners being readied for use at Sea-Tac More News on Fwix

Free Weather Stickers® for Your Homepage!

We've cooked up some fun dynamic images for you to put on your homepage.

- o 18 NEW Stickers!
- o Multiple Styles to Choose From
- o Display Current conditions

Get Your Weather Sticker!

Bremerton, WA 52.9 °F Mostly Cloudy at 12:05 PM PDT (Click for forecast)

Weather Stations

	m	494	

All Weather S	Stations		Personal We	ather Stations	M	ADIS Weather S	tations	Weat	ther Station	s WunderM	ap
Station Location	Temp.	Dew	Point Humidity	Wind	Pressure	Precipitation	Windchill	Elevation	Updated	Туре	
Illahee, Bremerton, WA	52.9 °F	43 °F	68%	≰ ENE at 0.0 mph	30.18 in	0.00 in / hr	Two	130 ft	12:05 PM PDT	Normal	:
Waterman Point. Port Orchard, WA	53.8 °F	46 °F	74%	SSE at 2.0 mph	30.36 in	0.00 in / hr	-	50 ft	12:01 PM PDT	Normal	
Part Of Brownsville, Bremerton, VVA	50.2 °F	45 °F	81%	ESE at 2.0 mph	30.34 in	0.00 in / hr	#	10 ft	12:05 PM PDT	Normal	Website
Crane Ave E, Port Orchard, WA	55.8 °F	38 °F	51%	ESE at 4.0 mph	30.39 in	0.00 in / hr	•	80 ft	12:05 PM PDT	Rapid Fire	
Bainbridge Island. WA	50.0 °F	48 °F	96%	NW at 0.0 mph	30.12 in	0,00 in / hr	·	149 ft	12:05 PM PDT	Rapid Fire	Website
Bainbridge Island VVA	52.3 °F	47 °F	82%	SSE at 0.0 mph	30.28 in	- / hr	1MC	150 ft	12:02 PM PDT	Normal	
Port Orchard, WA	54.4 °F	47 °F	75%	NNE at 1.1 mph	30.42 in	0.00 in / hr	-	O ft	12:05 PM PDT	Rapid Fire	
Lupine Ln. near Dickey Rd. Silverdale: WA	51.0 °F	#*	·#	WNW at 0.0 mph	30.18 in	0.00 in / hr	*	250 ft	12:05 PM PDT	Normal	
Woodward Middle School, Bainbridge Island, WA	51.5 °F	48 °F	86%	∠ENE at 2.0 mph	30.37 in	0.00 in / hr		180 ft	11:58 AM PDT	Normal	Website
MesoWest Bainbridge Island Bainbridge Island WA	52 °F		in i	SE at 5 mph	कों	0.00 in / hr	*	33 ft	10:15 AM PDT	MADIS	Website
Island Lake, Silverdale, WA	52.7 °F	48 °F	85%	ENE at 0.0 mph	30.36 in	0.00 in / hr	*	368 ft	12:05 PM PDT	Rapid Fire	Website
Ferncliff (Waterfront), Bainbridge Island, WA	58.3 °F	52 °F	80%	NE at 0.0 mph	30.37 in	0.00 in / hr	<u>.</u>	100 ft	12:05 PM PDT	Rapid Fire	Website
Wing Point, Beinbridge Island, WA	52.8 °F	48 °F	83%	SSW at 2.0 mph	30.43 in	0.00 in / hr	**.	80 ft	12:05 PM PDT	Rapid Fire	
Gorst, Port Orchard, WA	51.8 °F	55 °F	92%	NE at 0.0 mph	30.40 in	0.00 in / hr	**	185 ft	12:05 PM PDT	Rapid Fire	
Noil Rd NF7M. Poulsbo, WA	53.8 °F	47 °F	78%	➤ West at 0.0 mph	30.39 in	0.00 in / hr	•	220 ft	12:05 PM PDT	Rapid Fire	
MescWest Southworth Southworth, WA	51 °F	-M	-Á	SE at 3 mph	ar.	0.00 in / hr	in the second se	33 ft	10:20 AM PDT	MADIS	Website
MARITIME Seattle, WA	51 °F	43 °F	74%	North at 1 mph	30.39 in	0.00 in / hr	*	9 ft	11:00 AM PDT	MADIS	Website
OTHER_HFM BREMERTON, WA. Port Orchard, WA	45 °F	41 °F	87%	€East at 5 mph	30.40 in	0.00 in / hr	42 °F	482 ft	11:35 AM PDT	MADIS	Website

APRSWXNET Gold Mountain WA Bremerton, WA	46 °F	46 °F	100%	WSW at 0 mph	30,33 in	123.20 in / hr	46 °F	1687 ft	11:29 AM PDT	MADIS	Website
Central Market Poulsbo, Poulsbo WA	52.2 °F	51 °F	95%	NNE at 3.0 mph	30.32 in	0.00 in / hr		68 ft	12:05 PM PDT	Rapid Fire	Website
Near Discovery Park, Seattle, WA	53.0 °F	46 °F	77%	North at: 2.0 mph	30 .40 in	0.00 in / hr	-	320 ft	12:05 PM PDT	Normal	
Magnolie Seattle. WA	64.0 °F	47 °F	54%	NE at 0.0 mph		0.00 in / hr	#*	317 ft	12:02 PM PDT	Normal	Website
APRSWXNET Seettle W. Seettle, WA	51 °F	44 °F	77%	€East at 1 mph	30.36 in	0.00 in / hr	*	372 ft	11:20 AM PDT	MADIS	Website
Tree Ridge Lane. Poulsbo, WA	52.2 °F	52 °F	98%	€ast at 0.0 mph	29.82 in	0.00 in / hr	* [467 ft	12:05 PM PDT	Rapid Fire	
Magnolia - MaxHome, Seattle, WA	53.4 °F	45 °F	73%	NNW at 5.0 mph			we.	226 ft	12:05.PM PDT	Rapid Fire	Website
Magnolia, Seattle, WA	52.8 °F	45 °F	75%	₩ NNW at 0.0 mph	30.26 in	0.00 in / hr	ex.	114 Ħ	12:05 PM PDT	Normal	
Beach Drive - West Seattle, Seattle, WA	50.7 °F	46 °F	84%	SW at 3.0 mph	30.39 in	0.00 in / hr	-	30 ft	12:05 PM PDT	Rapid Fire	
Magnolia, Seattle, Seattle, WA	50.7 °F	43 °F	75%	NNE at 3.0 mph	30.29 in	- / hr	æ.	316 ft	11:52 AM PDT	Normal	
Miller Bay Estates. Poulsbo, WA	50.6 °F	48 °F	90%	NNW at 0.0 mph		0.00 in / hr	#K.	250 ft	12:05 PM PDT	Rapid Fire	Website
North Admiral - West Seattle (Two Dogs , Seattle, WA	60.3 °F	46 °F	86%	NW at 0.0 mph	30.32 in	-/hr		305 ft	11:57 AM PDT	Normal	Website

Would you like to share your weather data with the rest of the world?

Add Your Weather Station!

Warnings and Notices

There are currently no warnings or advisories for this location.

4

Copyright © 2010 Weather Underground, Inc.

Manchester Environmental Laboratory

7411 Beach Dr E, Port Orchard, Washington 98366

Case Narrative September 30, 2010

Subject:

Kitsap Mystery Oil Project

Sample(s): 1009096-01

Officer(s): Brad Martin

Work Order#: 1009096

By:

Bob Carrell

Hydrocarbon Identification Analysis

Analytical Method(s)

The sample was extracted with methylene chloride then analyzed, along with a method blank and various petroleum product standards, by gas chromatography with flame ionization detection (GC/FID). This method is consistent with a modified EPA SW-846 Method 8015B and/or ASTM Method D-3328.

Holding Times

The sample was analyzed within the recommended method holding times.

Calibration

This is not applicable in the traditional sense since only various petroleum products standards are analyzed to establish chromatographic product "fingerprints".

Blanks

No analytically significant levels of any petroleum product or hydrocarbon were detected in the method blank (B10I285-BLK1) associated with this sample.

Comments

The HCID analysis showed that this sample contained a significant amount of coal tar creosote. Creosote is primarily composed of polyaromatic hydrocarbons (PAHs).

andiej ligge grave alf twini de jei

andard of registrate market accessed to be a fight and the first term of the continue of the continue of the

Law Ellower Control (1) Franks Halle Control (1) Halle Control (1)

Washington State Department of Ecology Manchester Environmental Laboratory Final Analysis Report for

Hydrocarbon Identification

Project Name: Kitsap Mystery Oil

Work Order: 1009096 Project Officer: Martin, Brad Analyte: Hydrocarbon identification

Method: HYDRO-ID

Matrix: Other

Sample # Sample ID Collected A

09/24/10

Analyzed 09/30/10

This sample contains a significant amount of coal tar

creosote.

Result

QC Results for Batch ID: B101285

BOIS

Method Blank

1009096-01

B10I285-BLK1 Blank

No detectable petroleum hydrocarbons or products found.

Authorized by:

Banelf

Release Date:

9-30-70

Page 1 of 1 9/30/2010

Project Code:	LAB-503 ults: PA F		Reported			
Preliminary Resu	opennia Alexandra de la compania de		Results		Annonyong pagagaga pandahahahahahahahahan paliminin bilang.	
Sample Number	10402001 Results	Dilution Correction	mg/kg	PAH Targ	l get Values	
The second property of	ng	x100	0.1122g sample	Residential	Industrial	
Naphthalene	4.08	408	3.6	3.9	20	
Acenaphthylene	0.64	64	0.6			
Acenaphthene	0.76	76	0.7	3400	33000	
Fluorene	1.81	181	1.6	2300	22000	
Phenanthrene	7.51	751	6.7			
Anthracene	1.54	154	1.4	17000.00	170000.00	
Fluoranthene	3.12	312	2.8	2300.00	22000.00	
Pyrene	5,17	517	4.6	1700.00	17000.00	
Benzo(a)Anthracene *	1.3	133	1.2	0.15	2.10	
Chrysene *	1.29	129	1,1	15.00	210.00	
Benzo(b)fluoranthene *	0.97	97	0.9	0.15	2.10	
Benzo(k)fluoranthene *	0.32	32	0.3	1.50	21.00	
Benzo(a)pyrene *	1.23	123	1.1	0.015	0.21	
Indeno(1,2,3-cd)pyrene *	0.82	82	0.7	0.15	2.10	
Dibenzo(a,h)anthracene *	0.21	21	0.2	0.02	0.21	
Benzo(g,h,i)perylene	0.69	69	0.6			
Contacts:					60)-871-870	
	Theodore I	Haigh, Orgai	nic Chemist	USEPA, (3	60) 871-871	3

The information in this report is being supplied to you at your request as "Preliminary Results". Results have not undergone the same level of review as a final report. Once all reviews have taken place, it is possible that results in the final report may vary from those in this report.




1135 NW 46th St Seattle, WA 98107 **Voice:** 206-782-6750 **Fax:** 206-782-6750 **Email:** divers@ballarddiving.com

October 12, 2010

Proposal

United State Coast Guard – Pipeline Inspection and Location Services



www.ballarddiving.com



1135 NW 46th St Seattle, WA 98107

Voice: 206-782-6750 Fax: 206-782-6750 Email: divers@ballarddiving.com

Executive Summary

On October 12, 2010 Ballard Diving and Salvage received a call from Petty Officer Kevin Mallick related to a Concrete Cylinder Pipeline adjacent to Port Washington Marina. It is understood by Ballard Diving and Salvage that there is a section of the 8" ID pipe exposed at low tide. In this location is has been noted that creosote is escaping the pipeline. This proposal addresses the USCG's desire to locate the pipe, survey the interior of the pipe to document condition and any internal haz-waste buildup, and possibly abandon the system. BDS recommends a three phase approach to this issue:

- 1. Internal Inspection
- 2. Location Alignment
- 3. Abandonment

Internal Inspection

Ballard Diving recommends the use of our OWNED long range crawler system. The Crawler would carry a tilt/rotate zoom color camera and lights to image the inside surface of the pipe. The survey would include visually inspecting the liner of the pipe for structural defects. The typical defects that could be detected are circumferential cracks, longitudinal cracks, offset joints, spalls and erosion of the concrete liner. These areas can be identified by penetration range and potentially changes in grade. A report would be produced in conjunction with the video with the findings of the inspection. The video and features recorded for the report would be noted with umbilical payout (distance) from each access point.

The point of this survey would to be to determine whether this pipeline is blocked, occluded, crushed or still structurally sound. If passable the crawler could travel up to 700 each way (offshore/onshore)

Deployment: From beach at low tide or vessel at high tide

Limitations: If the crawler encounters an offset joint (more than two inches, rock or other obstruction it may be impossible to pass. It the crawler encounters buildup of creosote or slick residue it may not have the traction to continue, however, this heavy weight crawler has the best chance of any other equipment to make the range. BDS just completed nine miles of internal pipeline inspection for the City of Salem performing consistent 6000 feet runs.




1135 NW 46th St Seattle, WA 98107 Voice: 206-782-6750 Fax: 206-782-6750 Email: divers@ballarddiving.com

Method

The inspection would be primarily a video inspection as the ROV drives forward inside the pipe. The camera would be pointed forward for a complete pipe view as the ROV is moving and stopped at any anomaly or feature that required more detailed inspection. The 10x zoom function of the camera would allow the ROV to zoom in to very small features. Frequent stops will increase the time required for the penetration time but not the return time.

BDS's crawler was designed for penetrations in pipelines under its own power. This is for a number of reasons including simplicity of deployment, safety to the structure and safety to the equipment. The Crawler has 200 lbs of thrust with good traction to pull its own weight and the drag of the umbilical into a pipeline. The system is designed to pull the umbilical around a number of bends. The crawler would in general inspect two directions from each access point to minimize the number of access points.






1135 NW 46th St Seattle, WA 98107

Voice: 206-782-6750 Fax: 206-782-6750 Email: divers@ballarddiving.com

Location

The crawler would be outfitted with a pipeline locator transponder. The BDS crew, using a HD range finder, would identify the distance from the access point to the beach. Once the crawler is positioned at the beach a surveyor will run track lines longitudinally to identify the position of the crawler in the line. Additional location marks will be acquired as possible.






1135 NW 46th St Seattle, WA 98107

Voice: 206-782-6750 Fax: 206-782-6750 Email: divers@ballarddiving.com

Abandonment

If the USCG decides that it is in the best interest of the government to abandon the line a hydraulic cement grout mixture can be used to plug the open ends of the line.



Equipment Configuration

BDS would provide a Crawler ROV system with the following features:

Crawler System

Cable Length 750'
Minimum Diameter 6"
Maximum Speed 30 feet per minute
Weight of Crawler 125lbs
Depth Rating 100'
Forward Lighting 4 x 50W





1135 NW 46th St Seattle, WA 98107 Voice: 206-782-6750 Fax: 206-782-6750 Email: divers@ballarddiving.com

Color Camera System

Main Color Camera Tilt Rotate and Zoom 460 Lines of Resolution

Main Camera Lighting 8 x 6W dimmable Sensitivity 3 Lux 2 x secondary cameras with integrated lighting

Options

Profiling Sonar with Minimum Range 6" (flooded pipelines only)
GIS or pipe database software for reporting to inclusion in existing database
GPR Antenna to image the crown of the pipe (drained pipelines only)

Crew

Senior ROV Pilot - Association of Diving Contractors International (ADCI) ROV Supervisor Certificated Tender

Performance

BDS's ROV's are specifically configured for each application to provide the greatest degree of maneuvering and sensor performance. Transducers, cameras, lighting, navigation sub-systems, propulsion, sensors, umbilicals and hulls are all configured to meet the customer's requirements based on the customer supplied specifications and drawings. BDS is not responsible for the performance of the ROV system(s) in the event that the structure that is being inspected is not as represented in the specifications and drawings and/or has hazards, obstructions, marine growth, appliances and features that cannot be safely passed by the ROV.



1135 NW 46th St Seattle, WA 98107

Voice: 206-782-6750 Fax: 206-782-6750 Email: divers@ballarddiving.com

Pricing (Estimated - Actual billing based on BOA rates)

ltem	Description	Cost
Item 1	Mob/Demob	\$2100.00
Item 2	Cut Pipe (4 hours)	\$1500.00
Item 3	Crawler Survey (6 hours)	\$3500.00
Item 4	Pipe Locate (2 hours)	\$750.00
Item 5	Abandonment (4 hours)	\$1500.00

Project Specific Notes/Exclusions:

- · Rates above are for straight time hours only
- · Estimate based on known details
- Subsistence and Lodging will be charged if the operation requires an overnight stay

